## COZEAN PELVIC DYSFUNCTION SCREENING PROTOCOL

## INSTRUCTIONS: CHECK ALL THAT APPLY

0	I sometimes have pelvic pain (in genitals, perineum, pubic or bladder area, or pain with urination) that exceeds a '3' on a 1-10 pain scale, with 10 being the worst pain imaginable
0	I can remember falling onto my tailbone, lower back, or buttocks (even in childhood)
0	<ul> <li>I sometimes experience one or more of the following urinary symptoms</li> <li>Accidental loss of urine</li> <li>Feeling unable to completely empty my bladder</li> <li>Having to void within a few minutes of a previous void</li> <li>Pain or burning with urination</li> <li>Difficulty starting or frequent stopping / starting of urine stream</li> </ul>
Ο	I often or occasionally have to get up to urinate two or more times at night
0	I sometimes have a feeling of increased pelvic pressure or the sensation of my pelvic organs slipping down or falling out
0	I have a history of pain in my low back, hip, groin, or tailbone or have had sciatica
0	<ul> <li>I sometimes experience one or more of the following bowel symptoms</li> <li>Loss of bowel control</li> <li>Feeling unable to completely empty my bowels</li> <li>Straining or pain with a bowel movement</li> <li>Difficulty initiating a bowel movement</li> </ul>
Ο	I sometimes experience pain or discomfort with sexual activity or intercourse
Ο	Sexual activity increases one or more of my other symptoms
Ο	Prolonged sitting increases my symptoms

IF YOU CHECKED 3 OR MORE CIRCLES, PELVIC FLOOR DYSFUNCTION IS LIKELY

